

## ChIP-Seq

### 1. Sample Requirements

Sample Type	Amount	Volume	Concentration	Fragment size	Purity
Enriched DNA Sample	≥ 50 ng	≥ 10 μL	≥ 2 ng/μL	Main peak should be 100 bp-500 bp.	OD260/280=1.8-2.0 no degradation, no contamination

Remark: This sample requirement is for reference only. If you have any questions, please consult your local sales or Novogene support for detailed information.

### 2. Sequencing Parameters

Platform	Illumina NovaSeq 6000
Read length	Paired-end 150 bp
Sequencing depth	≥ 20 million read pairs per sample for the species with reference genome
Data quality	Guaranteed ≥ 80% bases with Q30 or higher

Remark: Detailed sequencing parameters can be consulted with your local sales or Novogene support.

### 3. Data Analysis Contents

Standard Analysis
Data quality control (get rid of reads containing adapter or with low quality; Q20, Q30, error rate distribution, GC distribution, total bases)
Mapping onto reference genome (mapping rate, reads distribution)
Peak calling
Motif prediction
Peak annotation (downstream or overlapping gene, TSS) and functional analysis of peak-associated genes (Gene Ontology, pathway)
Summary of differential peaks and functional analysis of differential peak related genes
Visualization of ChIP-seq data

Remark: Detailed analysis contents can be consulted with your local sales or Novogene support.